


**LOAD COMBINATIONS**

- # LOAD COMB 2001 (1.5 DL)  
101 1.5
- # LOAD COMB 2002 (1.5 DL+1.5 IL)  
101 1.5 201 1.5
- # LOAD COMB 2003 (0.9 DL+1.5 WL+XP)  
101 0.9 301 1.5
- # LOAD COMB 2004 (0.9 DL+1.5 WL-XP)  
101 0.9 302 1.5
- # LOAD COMB 2005 (0.9 DL+1.5 WL+XS)  
101 0.9 303 1.5
- # LOAD COMB 2006 (0.9 DL+1.5 WL-XS)  
101 0.9 304 1.5
- # LOAD COMB 2007 (0.9 DL+1.5 WL+ZP)  
101 0.9 305 1.5
- # LOAD COMB 2008 (0.9 DL+1.5 WL-ZP)  
101 0.9 306 1.5
- # LOAD COMB 2009 (0.9 DL+1.5 WL+ZS)  
101 0.9 307 1.5
- # LOAD COMB 2010 (0.9 DL+1.5 WL-ZS)  
101 0.9 308 1.5
- # LOAD COMB 2011 (1.2 DL+1.2 IL+0.6 WL+XP)  
101 1.2 201 1.2 301 0.6
- # LOAD COMB 2012 (1.2 DL+1.2 IL+0.6 WL-XP)  
101 1.2 201 1.2 302 0.6
- # LOAD COMB 2013 (1.2 DL+1.2 IL+0.6 WL+XS)  
101 1.2 201 1.2 303 0.6
- # LOAD COMB 2014 (1.2 DL+1.2 IL+0.6 WL-XS)  
101 1.2 201 1.2 304 0.6
- # LOAD COMB 2015 (1.2 DL+1.2 IL+0.6 WL+ZP)  
101 1.2 201 1.2 305 0.6
- # LOAD COMB 2016 (1.2 DL+1.2 IL+0.6 WL-ZP)  
101 1.2 201 1.2 306 0.6
- # LOAD COMB 2017 (1.2 DL+1.2 IL+0.6 WL+ZS)  
101 1.2 201 1.2 307 0.6
- # LOAD COMB 2018 (1.2 DL+1.2 IL+0.6 WL-ZS)  
101 1.2 201 1.2 308 0.6
- # LOAD COMB 2019 (1.2 DL+1.2 IL+0.6 ELX)  
101 1.2 201 1.2 1 0.6
- # LOAD COMB 2020 (1.2 DL+1.2 IL+0.6 ELZ)  
101 1.2 201 1.2 2 0.6

	Client: EPICENTER CONSULTING ENGINEERS P					Element NA
	Project:	1001	Doc. No.	1001-CAL-ST-10		Location/ Grid NA
	Rev.	Ppd. by	Date	Chd. by	Date	Designation NA
Project: A-BUILDING	2					
Structure: Load Comb	1					
Type: All	0	-	20-01-2026	-	20-01-2026	Sht. 1 of 2


**LOAD COMBINATIONS**

# LOAD COMB 2021 (0.9 DL+1.5 ELX)

101 0.9 1 1.5

# LOAD COMB 2022 (0.9 DL+1.5 ELZ)

101 0.9 2 1.5

	Client: EPICENTER CONSULTING ENGINEERS P					Element NA
	Project:	1001	Doc. No.	1001-CAL-ST-10		Location/ Grid NA
	Rev.	Ppd. by	Date	Chd. by	Date	Designation NA
Project: A-BUILDING	2					
Structure: Load Comb	1					
Type: All	0	-	20-01-2026	-	20-01-2026	Sht. 2 of 2